



Cine 50

SKU: 6003

- Largest fluid head in the Sachtler Cine Series
- Supports camera setups from 10 – 50 kg (22 - 110 lb)
- 18 steps of counterbalance
- 9 steps of pan and tilt drag
- Sideload platform
- Front pan bar rosette



PRODUCT DESCRIPTION

When super smooth movements are non-negotiable, the Sachtler Cine 50 rises to the occasion. The smallest and lightest in its class with an operating temperature range of -40 °C to +60 °C (-40° to 140°F), this fluid head supports up to an impressive 50 kg payload, making it the go-to choice for cinematographers facing the toughest conditions.

Counterbalance with 18-steps ensures your camera is quickly balanced and consistently supported at any angle, while the Sideload platform ensures simple and secure setup for accessorised Cine cameras. Customise your camera position with an ARRI compatible camera plate and front box mounting points.

Crafted with precision engineering and robust materials, the Cine 50 is built to withstand the rigours of Cine production. The frictionless fluid drag with nine levels of drag guarantees smooth and seamless pans, and a rosette allows the use of a front pan bar to deliver extra control. Unleash unparalleled smoothness in every shot, regardless of the size of your rig.




TECHNICAL SPECIFICATIONS

Range	Cine
Bowl Size	150 mm
Payload	10 kg to 50 kg 22.05 lb to 110.23 lb
Counterbalance	18 steps
Drag	9 + 0 drag settings
Weight	10.1 kg 22.27 lb
Pan Bar Count	1, telescopic
Sliding Range	15 cm 5.91 in
Tilt Range	+90° to -60°
Temperature Range	-40 °C to 60 °C -40 °F to 140 °F
Level Bubble	Yes, illuminated
Adaptor Viewfinder Extension	Included Adaptor

IN THE BOX

Cine 50 fluid head including 1 telescopic pan bar Movie, right (3170)

DIAGRAMS



YOU MAY ALSO LIKE...



[System Cine 50](#)