



System 18 HotPod CF 14

SKU: 1870S2

Sachtler System Video 18 with HotPod CF 14



PRODUCT DESCRIPTION

The Video 18 fluid head has been helping people get amazing results all over the world for decades. It can support a payload of up to 22 kg and is a perfect fit for a wide range of projects. This operational versatility is added to by 16-steps of counterbalance and seven steps of pan and tilt drag, which allows you to work intuitively safe in the knowledge that movement will always be smooth and seamless.

ENG TV crews will love the Touch & Go function for speedy mounting and removal of the camera, robust temperature resistance, position for spare camera screws and self-illuminating levelling bubble. The Sachtler Video 18 is designed to work as fast as you do.

Sometimes perspective is the most important part of a shot, helping to better convey the underlying story. The HotPod Tripod with pneumatic column gives you a lot of height fast. At the touch of a button, its unique central locking system allows all three legs to be clamped or released at the same time. The pneumatic central column lifts cameras to a lens height of over 2m, ensuring you get the best view in the house. Changing position and packing up is made simple with the handle.

TECHNICAL SPECIFICATIONS

Temperature Range	-40 °C to 60 °C -40 °F to 140 °F
Payload	2 kg to 22 kg 4.41 lb to 48.5 lb
Counterbalance	16 counterbalance steps + Boost Button
Drag	7 + 0 horizontal and vertical grades of drag
Weight	9.9 kg 21.83 lb
Bowl Size	100 mm
Spreader Type	Mid-level spreader
Material	Carbon Fibre
Pan Bar Count	1
Sliding Range	12 cm 4.72 in
Tilt Range	90° to -70°
Interface Compatibility	Touch & Go
Transport Length	95 cm 37.4 in
Height With Spreader	74 cm to 175 cm 29.13 in to 68.9 in

IN THE BOX

Video 18 S2 fluidh head with HotPod and transport cover

- [Video 18 S2](#) (1811)
- [Hot Pod CF 14](#) (5385/14)
- [Cover 100 II](#) (9309)

YOU MAY ALSO LIKE...



System 18 S2 SL
HD MCF



System 18 S2 HD
MCF

System Video 18 FT MS