



## System 18 S2 ENG 2 MCF

**SKU:** 1863S2

Sachtler System Video 18 carbon fibre with Fluid Head, ENG 2 MCF Tripod , Mid-Level Spreader & Bag



## PRODUCT DESCRIPTION

The Video 18 has been helping people get amazing results all over the world for decades. It can support a payload of up to 22 kg and is a perfect fit for a wide range of video projects. This operational versatility is added to by 16-steps of counterbalance and seven steps of pan and tilt drag, which allows you to work intuitively safe in the knowledge that movement will always be smooth and seamless.

The Touch & Go quick release camera plate and sliding balance platform mean that once you've clicked your camera into place, the entire platform adjusts to balance your setup. The Sachtler Speedbalance technology provides lightning fast weight compensation, making the Video 18 S2 a time-saver as well as a reliable part of your gear.

When you need to work quickly and effectively, you need a tripod that won't slow you down. The best-selling Sachtler dual-extractible ENG 2CF carbon fibre tripod gives you optimal stability and reliable performance in every environment. Lightweight and twist-resistant, the one-piece carbon fibre design features a 100 mm bowl with tube diameter of 22 mm.

This tripod's dual extension provides improved reliability, boosting height range and carrying a payload of 40 kg. Weighing in at 2.4 kg with a transport length of 70 cm, the Sachtler ENG 2 CF provides a balance between lightweight and durability so that you never have to sacrifice performance for comfort and transportability.

## TECHNICAL SPECIFICATIONS

<b>Range</b>	Video
<b>Temperature Range</b>	-40 °C to 60 °C   -40 °F to 140 °F
<b>Payload</b>	2 kg to 22 kg   4.41 lb to 48.5 lb
<b>Counterbalance</b>	16 counterbalance steps + Boost Button
<b>Drag</b>	7 + 0 horizontal and vertical grades of drag
<b>Weight</b>	8.1 kg   17.86 lb
<b>Bowl Size</b>	100 mm
<b>Spreader Type</b>	Mid-level spreader
<b>Material</b>	Carbon Fibre
<b>Tripod Stages</b>	2
<b>Pan Bar Count</b>	1
<b>Sliding Range</b>	12 cm   4.72 in
<b>Tilt Range</b>	90° to -70°
<b>Interface Compatibility</b>	Touch & Go
<b>Transport Length</b>	89 cm   35.04 in
<b>Height With Spreader</b>	67 cm to 168 cm   26.38 in to 66.14 in

## IN THE BOX

- [Video 18 S2](#) (1811)
- [Tripod ENG 2 CF](#) (5386)
- [Mid-level spreader 100/150](#) (7007)
- [Rubber Feet 100/150](#) (7004)
- [Padded bag ENG](#) (9104)
- [SpeedLevel Clamp](#) (S2044-0001)

## YOU MAY ALSO LIKE...



[System Video 18 FT MS](#) [System Cine 7+7 FT MS](#) [Rain Poncho](#)