



System 25 EFP 2 CF

SKU: 2512

Sachtler System Video 25 carbon fibre with Fluid Head, EFP 2 CF Tripod , Ground Spreader & Cover



PRODUCT DESCRIPTION

Comfortable with payloads up to 35 kg, the Sachtler Video 25 Plus is a remarkably lightweight studio and outside broadcast fluid head. A seven-step drag system means that you be sure your shots won't ever suffer from unwanted jerks and vibrations. The 18-step counterbalance system lets you concentrate on getting the perfect shot, knowing that your camera is always securely positioned and protected from tipping.

The days of fumbling around with clumsy attachments are over, with Touch & Go quick release and automatic locking for speedy mounting and removal. Sachtler's frictionless leak proof fluid damping with seven levels of drag helps with smooth panning and there's a sliding balance plate too. Designed to guarantee high performance in any kind of shooting environment, and in any lighting conditions.

This dual extendible 150 mm tripod's lightweight doesn't come at the expense of stability or carrying capacity. A carbon fibre construction, 22 mm (0.87") diameter and 4.1 kg weight mean that you won't be wasting energy or space carrying this tripod to any location. Supporting up to 95 kg without a loss of stability, the 150 EFP 2 CF's double extension gives you an extended height of 161 cm.

This versatility is enhanced by the quick clamping system that locks the legs in position in seconds. Whatever the conditions and whatever your schedule, the 150 EFP 2 CF is always ready to go. The one-piece Carbon fibre design means this durable, twist and corrosion resistant tripod will be a trusted and reliable part of your gear for years to come. The 150 EFP 2 CF is suitable for long-term use in any environment.




TECHNICAL SPECIFICATIONS

Range	Video
Temperature Range	-40 °C to 60 °C -40 °F to 140 °F
Payload	8 kg to 35 kg 17.64 lb to 77.16 lb
Counterbalance	18 counterbalance steps
Drag	7 + 0 horizontal and vertical grades of drag
Weight	11.6 kg 25.57 lb
Bowl Size	150 mm
Spreader Type	Ground spreader
Material	Carbon Fibre
Tripod Stages	2
Sliding Range	11 cm 4.33 in
Tilt Range	90° to -70°
Interface Compatibility	Touch & Go
Transport Length	95 cm 37.4 in
Height With Spreader	75 cm to 178 cm 29.53 in to 70.08 in

IN THE BOX

- [Video 25 Plus](#) (2500P)
- [Tripod EFP 2 CF](#) (6386)
- [Ground spreader SP 100/150](#) (7003)
- [Cover EFP 2](#) (9315)

DIAGRAMS



half ball with screw (integrated flat base)

YOU MAY ALSO LIKE...



Roll Along Tripod Cage-
Large

Dr. Bag - 5

Camporter-Large