



## System 25 Vario 2-80

**SKU:** 2596

Sachtler Video 25 FB on 2-stage Vario Ped 2-80

### PRODUCT DESCRIPTION

The Sachtler Video 25 FB is a lightweight, durable and reliable addition to your gear. The seven step drag system gives you confidence that your movements will be smooth without jerks and vibrations. Attaching your camera is as quick as a single click with the Touch&Go quick release and automatic locking for speedy mounting and removal. The Video 25 FB comes with 4-bolt fixing flat base.

Highly stable and yet lightweight, the Vario pedestals provide optimum support both in Studio and OB environments. The functions of the Vario Ped 2-80 are perfectly matched to the requirements of Studio and OB daily life as it is a robust, reliable and portable solution that provides soft and precise movement delivering unparalleled talent tracking and able to achieve seated and standing eyeline positions even at close range. It is a 2-stage pedestal for large payloads up to 80 kg / 176 lb in Studio and OB environment. Its smooth and precise on-air movement and on shot stroke length of 77cm / 30.3 in is perfect for following talent moving from seated to standing position 'on shot'. It has an inlet valve for any air source and a pressure gauge for clear and reliable set-up. The detachable skid allows the pedestal to be simply broken down into two sections for easy storage and transportation. The Vario Ped 2-80 has crab and steer functionality, allowing working in tight spaces and on shot direction changes. It comes with 12.5 cm / 5 inch wheels and adjustable cable guards. The skid has an easy to adjust position for narrow clearance. The steering wheel has easily accessible slots for trim weights, which can be used to quickly adjust the column pressure if the temperature changes during the shot.

## TECHNICAL SPECIFICATIONS

<b>Payload</b>	35 kg to   77.16 lb to
<b>Counterbalance</b>	18 steps
<b>Drag</b>	7 + 0 horizontal and vertical grades of drag
<b>Weight</b>	50 kg   110.23 lb
<b>Bowl Size</b>	Flat Base
<b>Pan Bar Count</b>	2
<b>Sliding Range</b>	10 cm   3.94 in
<b>Tilt Range</b>	90° to -75°
<b>Interface Compatibility</b>	Touch & Go
<b>Stages</b>	2
<b>Perfect Balance Stages</b>	2
<b>On Shot Stroke</b>	77 cm   30.31 in
<b>Steering</b>	Crab & Steer
<b>Height For Pedestals</b>	85 cm to 162 cm   33.46 in to 63.78 in

## IN THE BOX

Vario Ped 2-80 incl. Manual Pump and Video 25 FB

- [Vario Ped 2-80](#) (S2303-0001)
- [Video 25 Plus FB](#) (2501P)
- [Manual Pump for Vario Ped 1-70 and Vario Ped 2-80](#) (V4172-1900)

## YOU MAY ALSO LIKE...



**System 60 Vario 2-80**