



System Ace XL flowtech75 GS Mk II

SKU: 1016GS

- Ace XL system with flowtech®75 tripod
- Supports payloads up to 8kg (17.6lbs)
- Nine steps of counterbalance
- Sachtler drag with 3 + 0 steps
- Illuminated level bubble
- flowtech® tripod with unique quick release breaks and hinge lock for low/high shots
- Accessory mounts on tripod bowl
- Strong magnetic leg locks for transportation
- flowtech bag, ground spreader, and carry handle included



PRODUCT DESCRIPTION

Are you ready?

With Ace, precision meets dedication. Achieve finesse in every shot with fast counterbalance, and smooth drag adjustments. Lightweight and compact, with consistent performance, Ace is along for the journey. From urban jungles to the call of the wild, be ready for every opportunity that comes your way.

With Ace in your corner, stability and smoothness comes with every shot. It simplifies your setup with camera plate markers, stepped counterbalance and quick pan and tilt adjustments. Ace XL supports camera rigs weighing up to 8kg (17.6lbs), with nine steps of balance to quickly match your payload. A 104mm (4.1in) balance plate sliding range helps position accessorised cameras centrally and Sachtler drag gives smooth movement in any temperature. Ace XL also includes an illuminated level bubble to keep things straight in any location and detachable threaded stud for when you want to swap to a slider. Weighing 5.5kg (12.1lbs), this Ace XL system is light in weight but not in features, so go further, climb higher and capture that winning shot unplanned or in the heat of the moment.

The System Ace XL flowtech75 GS includes the world's fastest tripod, to revolutionise the way you work. The 2-stage carbon fibre flowtech® tripod has unique quick release brakes at the top which can be deployed and adjusted in an instant, and a versatile hinge lock mechanism that allows it to be deployed without a spreader for ultra-low and high shots. Its ergonomic design makes the tripod comfortable to carry, on your shoulder or with the carry handle. With three 3/8" accessory mounting points on the tripod bowl you can add something extra to your rig like a Magic Arm and when you are ready to move on, the legs are held together by a magnetic lock for transportation. The detachable ground spreader provides maximum stability wherever you are. And when the road is long, Ace comes with a carry case for protection on the go.

Ace is built to earn its place on your journey. Designed with precision-engineered drag segments and rigorously tested materials, consistent performance is a given. That's why Sachtler is trusted by professionals like you. Whatever path you choose to travel, Ace is your support system.

TECHNICAL SPECIFICATIONS

Weight	5.5 kg 12.13 lb
Bowl Size	75 mm with integrated flat base
Material	Carbon Fibre
Payload	0 kg to 8 kg 0 lb to 17.64 lb
Counterbalance	9 + 0
Drag	3 + 0 drag settings
Tripod Stages	2
Pan Bar Count	1
Sliding Range	10.4 cm 4.09 in
Tilt Range	90° to -75°
Temperature Range	-30 °C to 60 °C -22 °F to 140 °F
Transport Length	84 cm 33.07 in
Pan Bar Type	Pan bar Ace
Camera Plate	Slide in
Height Without Spreader	41 cm to 169 cm 16.14 in to 66.54 in
Height With Spreader	57 cm to 174 cm 22.44 in to 68.5 in

IN THE BOX

Ace XL Mk II fluid head, flowtech75 GS, carry handle & padded bag 75

- [S2170-0001 - Ace XL Mk II](#)
- [4587 - Tripod flowtech® 75 aktiv GS](#)
- [9116 - Padded bag 75](#)
- [S2051-1061 - Carry handle flowtech®](#)