



# System Ace XL flowtech75 MS Mk II

#### **SKU:** 1016MS

- Ace XL system with flowtech®75 tripod
- Supports payloads up to 8kg (17.6lbs)
- Nine steps of counterbalance
- Sachtler drag with 3 + 0 steps
- Illuminated level bubble
- flowtech® tripod with unique quick release breaks and hinge lock for low/high shots
- Accessory mounts on tripod bowl
- Strong magnetic leg locks for transportation
- flowtech® bag, mid-level spreader, and carry handle included









## **PRODUCT DESCRIPTION**

### Are you ready?

With Ace, precision meets dedication. Achieve finesse in every shot with fast counterbalance, and smooth drag adjustments. Lightweight and compact, with consistent performance, Ace is along for the journey. From urban jungles to the call of the wild, be ready for every opportunity that comes your way.

With Ace in your corner, stability and smoothness comes with every shot. It simplifies your setup with camera plate markers, stepped counterbalance and quick pan and tilt adjustments. Ace XL supports camera rigs weighing up to 8kg (17.6lbs), with nine steps of balance to quickly match your payload. A 104mm (4.1in) balance plate sliding range helps position accessorised cameras centrally and Sachtler drag gives smooth movement in any temperature. Ace XL also includes an illuminated level bubble to keep things straight in any location and detachable threaded stud for when you want to swap to a slider. Weighing 5.3kg (11.7lbs), this Ace XL system is light in weight but not in features, so go further, climb higher and capture that winning shot unplanned or in the heat of the moment.

The System Ace XL flowtech75 MS includes the world's fastest tripod, to revolutionise the way you work. The 2-stage carbon fibre flowtech® tripod has unique quick release brakes at the top which can be deployed and adjusted in an instant, and a versatile hinge lock mechanism that allows it to be deployed without a spreader for ultra-low and high shots. Its ergonomic design makes the tripod comfortable to carry, on your shoulder or with the carry handle. With three 3/8" accessory mounting points on the tripod bowl you can add something extra to your rig like a Magic Arm and when you are ready to move on, the legs are held together by a magnetic lock for transportation. An adjustable mid-level spreader provides stability no matter how rocky the road. And when the road is long, Ace comes with a carry case for protection on the go.

Ace is built to earn its place on your journey. Designed with precision-engineered drag segments and rigorously tested materials, consistent performance is a given. That's why Sachtler is trusted by professionals like you. Whatever path you choose to travel, Ace is your support system.



## **TECHNICAL SPECIFICATIONS**

Weight	5.3 kg   11.68 lb
Bowl Size	75 mm with integrated flat base
Material	Carbon Fibre
Payload	0 kg to 8 kg   0 lb to 17.64 lb
Counterbalance	9 + 0
Drag	3 + 0 drag settings
Tripod Stages	2
Pan Bar Count	1
Sliding Range	10.4 cm   4.09 in
Tilt Range	90° to -75°
Temperature Range	-30 °C to 60 °C   -22 °F to 140 °F
Transport Length	85 cm   33.46 in
Pan Bar Type	Pan bar Ace
Level Bubble	Yes, illuminated
Height	78 cm to   30.71 in to
Camera Plate	Slide in
Height Without Spreader	41 cm to 169 cm   16.14 in to 66.54 in
Height With Spreader	78 cm to 173 cm   30.71 in to 68.11 in

## IN THE BOX

Ace XL Mk II fluid head, flowtech75 MS, carry handle & padded bag 75

- <u>S2170-0001 Ace XL Mk II</u>
- <u>4585 Tripod flowtech® 75 aktiv MS</u>
- <u>S2051-1061 Carry handle flowtech®</u>
- <u>9116 Padded bag 75</u>