



System Video 18 FT MS

SKU: 1811FTMS

Sachtler System Video 18 carbon fibre with Fluid Head, flowtech® Tripod, Mid-Level Spreader & Bag



PRODUCT DESCRIPTION

The Video 18 has been helping people get amazing results all over the world for decades. It can support a payload of up to 22 kg and is a perfect fit for a wide range of video projects. This operational versatility is added to by 16-steps of counterbalance and seven steps of pan and tilt drag, which allows you to work intuitively safe in the knowledge that movement will always be smooth and seamless.

The Touch & Go quick release camera plate and sliding balance platform mean that once you've clicked your camera into place, the entire platform adjusts to balance your setup. The Sachtler Speedbalance technology provides lightning fast weight compensation, making the Video 18 S2 a time-saver as well as a reliable part of your gear.

For shoots where you need to balance quick setup, easy transport, support and stability, the Sachtler flowtech® 100 MS Carbon Fibre Tripod is a valuable addition to your gear. The unique design gives each leg individual adjustment while releasing and locking together, meaning setting up on any surface is as easy as releasing a catch. The ergonomic design makes the tripod light and comfortable to carry, no matter where your creativity takes you.

Weighing only 4.1 kg, the Sachtler flowtech® 100 MS can support a payload of up to 30 kg and extend to a maximum height of 155 cm. This versatility and flexibility are matched by high levels of stability so you can be sure that you'll always be able to get the shot you are looking for. When you are ready to move on, the legs all lock together with a single mechanism to save you even more time and energy.

TECHNICAL SPECIFICATIONS

Range	Video
Temperature Range	-40 °C to 60 °C -40 °F to 140 °F
Payload	2 kg to 22 kg 4.41 lb to 48.5 lb
Counterbalance	16 counterbalance steps + Boost Button
Drag	7 + 0 horizontal and vertical grades of drag
Weight	8.2 kg 18.08 lb
Bowl Size	100 mm
Spreader Type	Mid-level spreader
Material	Carbon Fibre
Tripod Stages	2
Pan Bar Count	1
Sliding Range	12 cm 4.72 in
Tilt Range	90° to -70°
Interface Compatibility	Touch & Go
Transport Length	87 cm 34.25 in
Height Without Spreader	42 cm to 172 cm 16.54 in to 67.72 in
Height With Spreader	72 cm to 173 cm 28.35 in to 68.11 in

IN THE BOX

- [Video 18 S2](#) (1811)
- [Tripod flowtech® 100 MS](#) (5585)
- [Padded bag ENG](#) (9104)
- [Carry handle flowtech®](#) (S2051-1061)

YOU MAY ALSO LIKE...



System 20 S1 SL HD
MCF



System Cine 7+7 FT MS Rain Poncho

