





Vario Ped 1-70

SKU: S2302-0001

Fully steerable pedestal for payload up to
70 kg / 154 lb.



PRODUCT DESCRIPTION

Highly stable and yet lightweight, the Vario pedestals provide optimum support both in Studio and OB environments.

The Vario 1-70 is a robust, reliable and portable solution that provide soft and precise movement delivering unparalleled talent tracking and able to achieve seated and standing eyeline positions even at close range. The Vario Ped 1-70 features ergonomically positioned controls, offers crab & steer functionality and can be used with payloads up to 70kg / 154lb. It has 2 stages, the upper stage is perfectly balanced for on shot shot performance. The lower stage is a balance assisted stage for easy elevation and extended height range. It has an integral manual pump and an inlet valve for use with an external source.

In addition, the Vario Ped 1-70 includes a pressure gauge for clear and reliable set-up. The detachable dolly allows the pedestal to be simply broken down into two sections for easy storage and transportation. It comes with 12.5 cm / 5 inch wheels and adjustable cable guards. It also features narrow tracking and transit widths to allow for movement in tight spaces.

TECHNICAL SPECIFICATIONS

Payload	70 kg to 154.32 lb to
Steering Ring Diameter	53.3 cm 20.98 in
Wheel Diameter	12.5 cm 4.92 in
Narrow Transit Width	73 cm 28.74 in
Weight	39.5 kg 87.08 lb
Stages	2
Perfect Balance Stages	1
On Shot Stroke	41 cm 16.14 in
Steering	Crab & Steer
Height	67 cm to 148 cm 26.38 in to 58.27 in
Tracking Width	97 cm 38.19 in

IN THE BOX

- [S2302-0001 - Vario Ped 1-70](#)
- [3357-21 - Manual Portable Pump](#)

YOU MAY ALSO LIKE...



[System 25 Vario 1-70](#)



[System 60 Vario 1-70](#)



[Video 60 Plus Studio](#)



[Video 25 Plus FB](#)