




Video 18 S2

SKU: 1811

Sachtler Video 18 S2 Fluid Head with
Touch & Go Camera Plate and Pan Bar



PRODUCT DESCRIPTION

Its predecessor has been helping people get amazing results all over the world for decades. Now, the winning formula is being improved by the Sachtler Video 18 S2 Fluid Head, which can support a payload of up to 22 kg and is a perfect fit for a wide range of video projects. This operational versatility is added to by 16-steps of counterbalance and seven steps of pan and tilt drag, which allows you to work intuitively safe in the knowledge that movement will always be smooth and seamless.

The Touch & Go quick release camera plate and sliding balance platform mean that once you've clicked your camera into place, the entire platform adjusts to balance your setup. The Sachtler Speedbalance technology provides lightning fast weight compensation, making the Video 18 S2 a time-saver as well as a reliable part of your gear.

Success Stories

Filter

[AllVideo 18 S2](#)

[Case Studies](#)

[flowtech®100 goes news gathering](#)

"I need to be super-fast and reactive, my equipment can't slow me down."

Read More ↗


TECHNICAL SPECIFICATIONS

Range	Video
Temperature Range	-40 °C to 60 °C -40 °F to 140 °F
Camera Plate	Touch & Go plate 16
Payload	2 kg to 22 kg 4.41 lb to 48.5 lb
Counterbalance	16 steps + Boost Button
Drag	7 + 0 drag settings
Weight	4.1 kg 9.04 lb
Bowl Size	100 mm
Pan Bar Count	1, telescopic
Sliding Range	12 cm 4.72 in
Tilt Range	90° to -70°
Pan Bar Length	35 cm to 52 cm 13.78 in to 20.47 in
Pan Bar Type	Pan bar Plus (Right)
Pan Bar Attachment	18/22/32 mm
Level Bubble	Yes, illuminated
Battery Type	CR2032
Adaptor Viewfinder Extension	Optional Adaptor

IN THE BOX

- Video 18 fluid head
- [Pan bar Plus right \(telescopic\)](#) (3270)
- [Touch & Go Plate 16](#) (1064)

DIAGRAMS



YOU MAY ALSO LIKE...



[System Video 18 FT GS](#)



[System Video 18 FT MS](#)



[System 18 S2 ENG 2 D](#)



[System 18 S2 ENG 2 CF](#)