



Video 25 Plus

SKU: 2500P

Sachtler Video 25 Plus Fluid Head with
Touch & Go Camera Plate

PRODUCT DESCRIPTION

Comfortable with payloads up to 35 kg, the Sachtler Video 25 Plus is a remarkably lightweight studio and outside broadcast fluid head. A seven-step drag system means that you be sure your shots are smooth at all levels of drag. The 18-step counterbalance system lets you concentrate on getting the perfect shot, knowing that your camera is always securely positioned and protected from tipping.

The days of fumbling around with clumsy attachments are over, with Touch & Go quick release and automatic locking for speedy mounting and removal. Sachtler's frictionless fluid damping with seven levels of drag helps with smooth panning and there's a sliding balance plate too. Designed to guarantee high performance in any kind of shooting environment, and in any lighting conditions.




TECHNICAL SPECIFICATIONS

Temperature Range	-40 °C to 60 °C -40 °F to 140 °F
Camera Plate	Touch & Go plate 16
Payload	8 kg to 35 kg 17.64 lb to 77.16 lb
Counterbalance	18 steps
Drag	7 + 0 drag settings
Weight	5.7 kg 12.57 lb
Bowl Size	150 mm
Pan Bar Count	2, telescopic
Sliding Range	12 cm 4.72 in
Tilt Range	90° to -70°
Pan Bar Length	35 cm to 52 cm 13.78 in to 20.47 in
Pan Bar Type	Pan bar Plus
Pan Bar Attachment	18/22/32 mm
Level Bubble	Yes, illuminated
Battery Type	3 x 625U or LR9
Adaptor Viewfinder Extension	Included Adaptor

IN THE BOX

- Video 25 fluid head with two pan bars Plus and one camera plate Touch & Go 16
- [Pan bar Plus right \(telescopic\)](#) (3270)
- [Pan bar Plus left \(telescopic\)](#) (3271)
- [Touch & Go Plate 16](#) (1064)

DIAGRAMS



flat base (half ball with adapter)

YOU MAY ALSO LIKE...



[System 25 EFP 2 CF](#)



[System 25 EFP 2 MCF](#)



[System 25 EFP 2 D](#)
[Dolly](#)